

FURNITURE, CLASSROOM & OFFICE (Line Item)

BID ID NO. 6477

BEGINS: November 1, 2011

ENDS: October 31, 2012

INSTRUCTIONS ON PURCHASING FURNITURE:

When purchasing furniture, please use object code 0733

Contact appropriate vendor for catalogs/literature, pricing, product selection and options that best fit your needs. Vendor information and contacts are listed on page 32. All items on this furniture contract include delivery, assembly, and set in place.

Office Furniture

Upon request, vendors listed with awarded manufacturer will assist in product selection and school/office site visit for space allowances and price quotation of projects.

Office & Classroom Furniture

Reminder:

Include the following information on all orders: model number, product description, size, and color. If you do not include the appropriate information, it could cause a delay in shipment of your order. Also, in order to receive delivery by opening of school; new classroom furniture should be placed in advance with appropriate vendor no later than the end of May. Classroom furniture will be delivered approximately eight (8) weeks after the vendor receives the purchase order. For assistance in expediting July 1st orders, contact the purchasing/furniture buyer (485-3694).

Furniture items are special order and non-returnable except for damage or defect; report all damages immediately to appropriate vendor.

If you require assistance or have questions regarding the furniture bid contract, vendor performance, and/or product, please contact the purchasing/furniture buyer at 485-3694.

PLEASE NOTE: SPECIFICATIONS FOR THE FOLLOWING ITEMS ARE ON PAGES 15 THROUGH 31. PLEASE READ THE SPECIFICATIONS TO MAKE SURE THAT THE ITEMS BID ARE WHAT YOU NEED.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 1 - BOOKCASE, WOOD: 36"W x 30"H x 12"D, w/one fixed shelf (CC NO. 4600250-1702558)	Hurst Office Suppliers	Community #CO3630BC	\$ 248.00
ITEM NO. 2 - BOOKCASE, WOOD: 36"W x 36"H x 12"D, w/one fixed shelf (CC NO. 4600250-1724326)	Hurst Office Suppliers	Community #CO3636BC	274.00
ITEM NO. 3 - BOOKCASE, WOOD: 36"W x 48"H x 12"D, w/one fixed shelf & one adjustable shelf (CC NO. 4600250-1693629)	Hurst Office Suppliers	Community #CO3648BC	325.00
ITEM NO. 4 - BOOKCASE, WOOD: 36"W x 60"H x 12"D, w/one fixed shelf & two adjustable shelves (CC NO. 4600250-1690106)	Hurst Office Suppliers	Community #CO3660BC	381.00

COLOR CHOICES FOR LINES 1-6: Natural Oak, Golden Oak, Med Oak, Lt Cherry, Med Cherry, Med Walnut, Med Mahogany, Dark Mahogany, Ebony.
DELIVERY: 60 DAYS.

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 5 – BOOKCASE, WOOD: 36"W x 72"H x 12"D, w/one fixed shelf & three adjustable shelves (CC NO. 4600250-1702560)	Hurst Office Suppliers	Community #CO33672BC	\$ 428.00
ITEM NO. 6 - BOOKCASE, WOOD: 36"W x 84"H x 12"D, w/one fixed shelf & four adjustable shelves (CC NO. 4600250-1702561)	Hurst Office Suppliers	Community #CO3684BC	486.00
COLOR CHOICES FOR LINES 1-6: Natural Oak, Golden Oak, Med Oak, Lt Cherry, Med Cherry, Med Walnut, Med Mahogany, Dark Mahogany, Ebony. Delivery 60 days.			
ITEM NO. 7 - CABINET, FILE, WITH CAM TYPE KEY LOCK: 2-Drawer letter size (CC NO. 4600250-1717533)	Hurst Office Suppliers, Inc.	Hon #HH322	105.00
DELIVERY: 45 DAYS – AVAILABLE COLORS: Black, Carob, Charcoal, Greige, Lt. Gray, Muslin, Putty, Taupe			
ITEM NO. 8 - CABINET, FILE, WITH CAM TYPE KEY LOCK: 2-Drawer legal size (CC NO. 4600250-1717534)	Hurst Office Suppliers, Inc.	Hon #HH322C	125.00
DELIVERY: 45 DAYS – AVAILABLE COLORS: Black, Carob, Charcoal, Greige, Lt. Gray, Muslin, Putty, Taupe			
ITEM NO. 9 - CABINET, FILE, WITH CAM TYPE KEY LOCK: 4-Drawer letter size (CC NO. 4600250-1717535)	Hurst Office Suppliers, Inc.	Hon #HH324	145.00
DELIVERY: 45 DAYS – AVAILABLE COLORS: Black, Carob, Charcoal, Greige, Lt. Gray, Muslin, Putty, Taupe			

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 10 - CABINET, FILE, WITH CAM TYPE KEY LOCK: 4-Drawer legal size (CC NO. 4600250-1717536)	Hurst Office Suppliers, Inc.	Hon #HH324C	\$ 165.00
LIST OF AVAILABLE COLORS FOR ITEM NOS. 7-10: Black, Carob, Charcoal, Greige, Light Grey, Muslin & Putty.			
ITEM NO. 11 - CABINET, FLAT BASE FILE, ART STORAGE FIVE DRAWER, 37"W x 24"D x 30"H (CC NO. 4600250-1702562)	School Specialty, Inc.	Sandusky Lee #TP5D46243007K	729.92
ITEM NO. 12 - CABINET, FILE, FIRE PROOF, 1 HOUR RATED, WITH LOCK: 4-Drawer letter size (CC NO. 4600250-1722005)	School Specialty Inc.	Fire King Int. #4-1825-C XX	1,285.16
LIST OF AVAILABLE COLORS FOR ITEM NOS 12 & 13: Parchment, Sand, Black, Platinum, Pewter, Tan, Champagne, Taupe & Brown. DELIVERY 10 – 15 DAYS			
ITEM NO. 13 - CABINET, FILE, FIRE PROOF, 1 HOUR RATED, WITH LOCK: 4-Drawer legal size (CC NO. 4600250-1722006)	School Specialty Inc.	Fire King Int. #4-2125-C XX	1,332.59

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 14 - CABINET, LATERAL FILE, LETTER SIZE: 3-Compartment, 43 1/4"H x 36"W x 19 1/4"D (CC NO. 4600250-1717537)	Hurst Office Suppliers, Inc.	Hon #H683	\$ 328.00
ITEM NO. 15 - CABINET, LATERAL FILE, LETTER SIZE: 5-Compartment, 62"H x 36"W x 19 1/4"D (CC NO. 4600250-1717539)	Hurst Office Suppliers, Inc.	Hon #H685	530.00
<p>LIST OF AVAILABLE COLORS FOR ITEM NOS. 14 & 15: Black, Carob, Charcoal, Greige, Light Gray, Muslin, Putty & Taupe. DELIVERY: 45 DAYS</p>			
ITEM NO. 16 - CABINET, STORAGE, METAL, COMBINATION: 36"W x 18"D x 78"H (CC NO. 4600250-1702628) DELIVERY: 30 DAYS	Drennan Equipment Company	Sandusky Lee #CAC1361878	335.00
ITEM NO. 17 - CABINET, STORAGE, METAL, PLAIN: 36" W x 18"D x 78"H (CC NO. 4600250-1665392)	Drennan Equipment Company	Sandusky Lee #CA 41361878	298.10
<p>LIST OF AVAILABLE COLORS FOR ITEM NOS. 16 & 17: Charcoal Gray, Tropic Sand, Dove Gray, Putty & Black. DELIVERY: 30-45 DAYS</p>			
ITEM NO. 18 - CHAIR, ALL PURPOSE, W/LEGS: 12" (CC NO. 4600250-1717541)	School Specialty, Inc.	Royal Seating #1101-12 CH	17.22

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 19 – CHAIR, ALL PURPOSE, W/LEGS: 14" (CC NO. 4600250-1717542)	School Specialty, Inc.	Royal Seating #1101-14CH	\$ 18.62
ITEM NO. 20 - CHAIR, ALL PURPOSE, W/LEGS: 16" (CC NO. 4600250-1717543)	School Specialty, Inc.	Royal Seating #1101-16CH	19.89
ITEM NO. 21 - CHAIR, ALL PURPOSE, W/LEGS: 18" (CC NO. 4600250-1717544)	School Specialty, Inc.	Royal Seating #1101-18CH	22.55
AVAILABLE COLORS FOR ITEM NOS. 18-21: Red, Berry, Burgundy, Purple, Blue, Navy, Black, Teal, Green & Yellow. DELIVERY: 30 – 45 DAYS			
ITEM NO. 22 - CHAIR, ALL PURPOSE, SLED BASE: 13" ± 1" (CC NO. 4600250-1717545)	Tom Sexton & Associates	Artco-Bell #ABC-7003	30.88
ITEM NO. 23 -CHAIR, ALL PURPOSE, SLED BASE: 15" ± 1" (CC NO. 4600250-1717546)	Tom Sexton & Associates	Artco-Bell #ABC-7005	33.46
ITEM NO. 24 - CHAIR, ALL PURPOSE, SLED BASE: 17" ± 1" (CC NO. 4600250-1717547)	Tom Sexton & Associates	Artco-Bell #ABC-7007	35.08

AVAILABLE COLORS FOR ITEM NOS. 22-24: Burgundy, Emerald Green, Evergreen, Graphite, Grey, Navy, Onyx, Purple, Purple Iris, Royal Blue, Ruby Red, Sand, Teal and Yellow
 DELIVERY: 45 DAYS ARO

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 25 - CHAIR, FOLDING, METAL, TUBULAR STEEL (CC NO. 4600250-1713451) AVAILABLE COLORS: Beige, Grey, Brown, Blue and Black. DELIVERY: 5-7 DAYS ARO	School Specialty, Inc.	NPS #300 Series	\$ 16.97
ITEM NO. 26 - RACK, CHAIR: 50-Chair capacity (CC NO. 4460570-1703168) DELIVERY: 5-7 DAYS ARO	School Specialty, Inc.	NPS #DY-50	167.51
ITEM NO. 27 - RACK, CHAIR: 84-Chair capacity (CC NO. 4460570-1724360)	School Specialty, Inc.	NPS #84	254.32
ITEM NO. 28 - CHAIR, COMBINATION DESK, 17 1/2" (For Middle and High School Students) (CC NO. 4600250-1722008) AVAILABLE SHELL COLORS: Burgundy, Emerald Green, Evergreen, Graphite, Grey, Navy, Onyx, Purple, Purple Iris, Royal Blue, Ruby Red, Sand, Teal & Yellow. TOP COLORS: Oak, Teak, Walnut, Grey Glace. DELIVERY: 45 DAYS ARO	Tom Sexton & Associates	Artco-Bell #ABC-7457	78.45
ITEM NO. 29 - CHAIR, TABLET ARM, LEG BASE, 17 1/2", WRITING SURFACE 20" X 22" X 14" (CC NO. 4600250-1719217) AVAILABEL SHELL COLORS: Burgundy, Emerald Green, Evergreen, Graphite, Grey, Navy, Onyx, Purple, Purple Iris, Royal Blue, Ruby Red, Sand, Teal & Yellow. TOP COLORS: Oak, Teak, Walnut, Grey Glace. DELIVERY: 45 DAYS ARO	Tom Sexton & Associates	Artco-Bell #ABC-7257	81.06
ITEM NO. 30 – DESK, STUDENT, OPEN FRONT, WITH METAL BOOK COMPARTMENT, ADJUSTABLE PEDESTALS. (CC NO. 4600250-1717560) AVAILABLE COLORS: Pecan, Oak, Gray Glace and Walnut DELIVERY: 30-45 DAYS	School Specialty, Inc.	Scholarcraft #SC7800FBBB	64.81

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 31 - DESK, TEACHERS', WOOD, DOUBLE PEDESTAL 60" x 30" x 30" (CC NO. 4600250-1724325)	Hurst Office Suppliers	Community – ST 3060 DD	\$ 788.00
ITEM NO. 32 - DESK, TEACHERS, WOOD, DOUBLE PEDESTAL 66" X 34" X 30" (CC NO. 4600250-1720043)	Hurst Office Suppliers	Community – ST 3460 DD	839.00
AVAILABLE FINISHES FOR ITEMS 31 & 32: Natural Oak, Golden Oak, Medium Oak, Light Cherry, Medium Cherry, Medium Walnut, Medium Mahogany, Dark Mahogany & Ebony. DELIVERY: 60 DAYS			
ITEM NO. 33 - RACK, COAT AND HAT (CC NO. 4460552-1691791) DELIVERY: 5-7 DAYS	School Specialty, Inc.	Glaro #9000C	499.98
ITEM NO. 34 - RISER, CHORAL, PORTABLE STANDING: 4' length, 18" depth, 3 steps high (CC NO. 1250135-1724495) DELIVERY: 30-45 DAYS	Tom Sexton & Associates	Midwest TFR48	645.88
ITEM NO. 35 - RISER, CHORAL, PORTABLE STANDING: 4' length, 18" depth, 4 steps high (CC NO. 1250135-1724496)	Tom Sexton & Associates	Midwest TFR48/TFA48	950.71
ITEM NO. 36 - RISER, CHORAL, PORTABLE STANDING SECTION: 6' length, 18" depth, 3 steps high (CC NO. 1250135-1703176)	Tom Sexton & Associates	Midwest Folding TFR72	668.78

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 37 - RISER, CHORAL, PORTABLE STANDING SECTION: 6' length, 18" depth, 4 steps high (CC NO. 1250135-1703178)	Tom Sexton & Associates	Midwest Folding #TFR72/ #TFA72	\$ 985.77
ITEM NO. 38 - RISER, CHORAL, PORTABLE STANDING SECTION: 4 ft. backrails (CC NO. 1250135-1723974)	Tom Sexton & Associates	Midwest Folding #TFB48	258.41
ITEM NO. 39 - RISER, CHORAL, PORTABLE STANDING SECTION: 6 ft. backrails (CC NO. 1250135-1703180)	Tom Sexton & Associates	Midwest Folding #TFB72	268.96
ITEM NO. 40 - STAND, TEACHER'S DEMONSTRATION, 38"H (CC NO. 4460731-1706891)	Tom Sexton & Associates	Artco Bell #ABC-2500	201.63
AVAILABLE COLORS FOR ITEM 40 - 42: Oak, Pecan, Walnut and Grey Glace. DELIVERY: 45 DAYS ARO			
ITEM NO. 41 - STOOL, TEACHERS', ADJUSTABLE HEIGHT 21" THROUGH 30": With pad (CC NO. 4600250-1717562)	Tom Sexton & Associates	Artco-Bell #ABC799P	108.63
SHELL COLORS: Burgundy, Emerald Green, Evergreen, Graphite, Grey, Navy, Onyx, Purple, Purple Iris, Royal Blue, Ruby Red, Sand, Teal and Yellow DELIVERY: 45 DAYS ARO			

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
<p>ITEM NO. 42 - STOOL, TEACHERS', ADJUSTABLE HEIGHT 21" THROUGH 30": Without pad (CC NO. 4600250-1717563)</p>	Tom Sexton & Associates	Artco-Bell #ABC7990	\$ 81.13
<p>AVAILABLE COLORS FOR ITEM NOS. 41 & 42: Seat Color – Burgundy, Emerald-Green, Evergreen, Graphite, Grey, Navy, Onyx, Purple, Purple Iris, Royal Blue, Ruby Red, Sand, Teal and Yellow. DELIVERY: 45 DAYS ARO</p>			
<p>ITEM NO. 43 - TABLE, CRAFT, 60"W x 42"D x 29 1/2"H (CC NO. 4460825-1717564) DELIVERY: 10-15 DAYS</p>	School Specialty, Inc.	Diversified/Shain #PT62M	592.07
<p>ITEM NO. 44 - TABLE, FOLDING, DELUXE PEDESTAL LEGS: 30" x 72" (CC NO. 4600250-1713458)</p>	School Specialty, Inc.	Allied Plastics #123072	115.28
<p>AVAILABLE COLORS FOR ITEM NO. 44 & 45: Walnut, Light Oak, Birch, Teak & Grey Nebula DELIVERY: 30-45 DAYS</p>			
<p>ITEM NO. 45 - TABLE, FOLDING, DELUXE PEDESTAL LEGS: 36" x 72"(CC NO. 4600250-1714825) DELIVERY: 30-45 DAYS</p>	School Specialty, Inc.	Allied #123672	125.00
<p>ITEM NO. 46 - TABLE, KIDNEY, 48" x 72" (CC NO. 4600250-1713916) AVAILBLE COLORS: Oak, Pecan, Walnut & Grey Glace DELIVERY: 45 DAYS ARO</p>	Tom Sexton & Associates	ABC #1275	176.75

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
ITEM NO. 47 - TABLE, RECTANGULAR, CHROME PEDESTAL LEGS: 24" x 48" (CC NO. 4600250-1665850) AVAILABLE COLORS: Walnut, Light Oak, Birch, Teak & Grey Nebula	School Specialty, Inc.	Allied Plastics #T 52448	\$ 112.50
ITEM NO. 48 - TABLE, RECTANGULAR, CHROME PEDESTAL LEGS: 30" x 48" (CC NO. 4600250-1730414) AVAILABLE COLORS: Call vendor for colors.	School Specialty, Inc.	Allied Plastics #T53048	136.25
ITEM NO. 49 - TABLE, RECTANGULAR, CHROME PEDESTAL LEGS: 30" x 60" (CC NO. 4600250-1730415) AVAILABLE COLORS FOR ITEMS 49-51: Walnut, Light Oak, Birch, Teak & Grey Nebula	School Specialty, Inc.	Allied Plastics #T 53060	148.75
ITEM NO. 50 - TABLE, RECTANGULAR, CHROME PEDESTAL LEGS: 30" x 72" (CC NO. 4600250-1665851)	School Specialty, Inc.	Allied Plastics #T 53072	160.00
ITEM NO. 51 - TABLE, RECTANGULAR, CHROME PEDESTAL LEGS: 42" x 60" (CC NO. 4600250-1656332)	School Specialty, Inc.	Allied Plastics #T 54260	166.25
ITEM NO. 52 - TABLE, RECTANGULAR, FOLDING, 30" X 72", BLOW MOLDED. (CC NO. 4600250-2011388) DELIVERY: 10-15 DAYS	School Specialty, Inc.	National Public Seating #BT3072 COLOR: OFF WHITE ONLY	54.94

FURNITURE, CLASSROOM & OFFICE - Cont.

<u>DESCRIPTION & CC NO.</u>	<u>BIDDER</u>	<u>BRAND NAME & NO.</u>	<u>UNIT PRICE</u>
<p>ITEM NO. 53 - TABLE, ROUND, FOLDING ENAMEL LEGS: 48" diameter (CC NO. 4600250-1703205) AVAILABLE COLORS: Walnut, Lt Oak, Birch, Grey Nebula, Teak DELIVERY: 30-45 DAYS</p>	School Specialty, Inc.	Allied Plastics – #1248CR	\$ 140.00
<p>ITEM NO. 54 - TABLE, ROUND, ADJUSTABLE LEGS 22" THROUGH 29": 48" diameter (CC NO. 4600250-1429298) AVAILABLE COLORS FOR ITEMS 54-55: Oak, Pecan, Walnut, Grey Glace DELIVERY: 30-45 DAYS</p>	Tom Sexton & Associates	ABC-1280	108.75
<p>ITEM NO. 55 - TABLE, ROUND, ADJUSTABLE LEGS 22" THROUGH 29" 60" DIAMETER (CC NO. 4460825-1429314)</p>	Tom Sexton & Associates	ABC-1286	153.25
<p>ITEM NO. 56 - TABLE, SCIENCE, 60"L x 30"H x 24"W (CC NO. 4460825-1703214) DELIVERY: 15-45 DAYS</p>	Drennan Equipment Company	Community #SC2460-30-B COMP-Boo	275.00
<p>ITEM NO. 57 - TABLE, TRAPEZOID, 30"x 30" x 60" (CC NO. 4600250-1703187) AVAILABLE COLORS FOR ITEM NO. 57: Walnut, Lt Oak, Birch, Grey Nebula, Teak DELIVERY: 30-45 DAYS</p>	School Specialty, Inc.	Allied Plastics #F530TP	110.29

SPECIFICATIONS

SIZES:

<u>ITEM NO. 1 – BOOKCASE, WOOD -</u>	36"W x 30"H x 12"D, with (1) fixed shelf
<u>ITEM NO. 2 – BOOKCASE, WOOD -</u>	36"W x 36"H x 12"D, with (1) fixed shelf
<u>ITEM NO. 3 – BOOKCASE, WOOD -</u>	36"W x 48"H x 12"D, with (1) fixed shelf & (1) adjustable shelf
<u>ITEM NO. 4 – BOOKCASE, WOOD -</u>	36"W x 60"H x 12"D, with (1) fixed shelf & (2) adjustable shelves
<u>ITEM NO. 5 – BOOKCASE, WOOD -</u>	36"W x 72"H x 12"D, with (1) fixed shelf & (3) adjustable shelves
<u>ITEM NO. 6 – BOOKCASE, WOOD -</u>	36"W x 84"H x 12"D, with (1) fixed shelf & (4) adjustable shelves

CONSTRUCTION:

ENDS, SHELVES

TOPS:	To be three ply construction 3/4" thick with high quality oak or walnut veneer on both faces. Center ply to be made of a high grade wood composite board with a 45 lb. density or greater.
BACK:	To be three ply construction not less than 3/16" thick with high quality oak or walnut veneer face and a balancing back ply.
HARDWARE:	Adjustable shelves to be supported by metal shelf clips. Fixed shelves are attached by 90° brackets. Bookcases will conform to ANSI/BIFMA loading standards.
FINISH:	Must be available in a light oak and a dark walnut finish.

SPECIFICATIONS - Cont.

ITEM NO. 7- CABINET, FILE WITH CAM TYPE KEY LOCK:

2-Drawer letter size

ITEM NO. 8- CABINET, FILE WITH CAM TYPE KEY LOCK:

2-Drawer legal size

ITEM NO. 9- CABINET, FILE WITH CAM TYPE KEY LOCK:

4-Drawer letter size

ITEM NO. 10- CABINET, FILE WITH CAM TYPE KEY LOCK:

4-Drawer legal size

CONSTRUCTION: File cabinet is to be of a heavy duty design.

DIMENSIONS: Outside: Letter - 15"W x 26 1/2"D
Legal - 18 1/4"W x 26 9/16"D
Height: 2-Drawer - 29"; 4-Drawer - 52"
Inside Drawer Dimensions: Letter - 12 1/16"W x 25"D x 10 11/16"H
Legal - 15 5/16"W x 25"D x 10 11/16"H

FRAME: Vertical uprights: 4 - 2 front - 20-gauge (.036); 2 rear - 22-gauge (.030)
Case slide, 16-gauge (.060)
Case slide spacers, 26-gauge (.018)
Bottom reinforced channel, 20-gauge (.036)

CASE: Top, 22-gauge (.030) welded front corners
Sides, 24-gauge (.024)
Back, 24-gauge (.036)
Kickplate, 20-gauge (.036)
Horizontal dividers, 22-gauge (.030)

DRAWER

CONSTRUCTION: Front, 22-gauge (.030)
Filler, 24-gauge (.024), pierced for hanging folder rack
Sides, 20-gauge (.036)
Back, 24-gauge (.024), pierced for hanging folder rack
Bottom, 24-gauge (.024)
Rails formed from hemming of 20-gauge side to equivalent of 12-gauge spring operated thumb latch.

SPECIFICATIONS - Cont.

ITEM NOS. 7-10 - CABINET, FILE - Cont.

- FOLLOWER: Positive locking side action follower, spring activated adjustable on 5/8" centers. Follower guides slide easily in channels at top of drawer sides.
- SUSPENSION: Type: Full cradle, triple-tied, 16-gauge (.060) front, 20-gauge (.036) center and rear; 18-gauge (.048) side arms. Rollers, 10 nylon.
- FINISH: Baked enamel over phosphatizing prime rust-proofing treatment.
- HARDWARE: Bright solid aluminum pull and label holder.
- LOCKS: Each file cabinet will include Cam Type Key Lock.

ITEM NO. 11 - CABINET, FLAT BASE FILE, FIVE DRAWER, 37"W X 24"D X 30"H:

- CONSTRUCTION: Cabinet shall be made of heavy gauge steel fully welded and shipped set up. Each drawer is to have roller suspension and key lock.
- This unit must have casters for easy movement.

ITEM NO. 12 - CABINET, FILE, FIRE PROOF, 1 HOUR RATED, WITH LOCK: 4-Drawer letter size

ITEM NO. 13 - CABINET, FILE, FIRE PROOF, 1 HOUR RATED, WITH LOCK: 4-Drawer legal size

OUTSIDE

- DIMENSIONS: Letter size - 52 13/16"H x 17 11/16"W x 25"D
Legal size - 52 3/16"H x 20 3/4"W x 25"D

SPECIFICATIONS - Cont.

ITEM NO. 14 - CABINET, LATERAL FILE, LETTER SIZE:

3-Compartment - 43 1/4"H x 36"W x 19 1/4"D

ITEM NO. 15 - CABINET, LATERAL FILE, LETTER SIZE:

5-Compartment - 62"H x 36"W x 19 1/4"D

CABINETS: Side panels and corner post shall be constructed of 20-gauge cold-rolled furniture steel. The front corner of the cabinet is to be box type construction, welded to side panels. Base shall be 6" minimum.

SHELVES: Shelves are to be constructed of 18-gauge cold-rolled furniture steel and shall be welded into the cabinet case at various heights and depths to produce standard catalog height. Shelves are to provide support for door tracks with the top door to be welded to the back for support.

Back shall be constructed of 20-gauge cold-rolled furniture steel. The back must be a flush back suitable for use as a room divider. Doors are to be constructed of 20-gauge cold-rolled steel, with edges formed into a box construction for strength, and ride on nylon glides which are riveted to front end of 16-gauge steel formed tracks. Any door when partially withdrawn serves as a posting or reference shelf.

ITEM NO. 16 - CABINET, STORAGE, METAL, COMBINATION, 36"W X 18"D X 78"H:

CONSTRUCTION: Combination storage cabinet shall be of heavy gauge steel construction providing both wardrobe and shelf storage. Shelves shall be adjustable on 2" centers. Unit to have a tru-glide, 3-point locking assembly with satin chrome handles on each door. Finish to be baked on enamel. Unit to be delivered to each school, set up, and ready for use.

SPECIFICATIONS - Cont.

ITEM NO. 17 - CABINET, STORAGE, METAL, PLAIN, 36"W X 18"D X 78"H:

CONSTRUCTION: To be cold-rolled steel with minimum allowable gauges as follows: Doors to be 20-gauge and to have door center reinforcement of 24-gauge. Door frame to be 14-gauge. Header and sills to be 6-gauge. Sides, backs, tops and bottoms to be 22-gauge. Shelves to be 20-gauge.

HINGES: Shall be concealed and have a minimum of four (4) per door.

HANDLES: Handles for doors to be die-cast brushed aluminum. Lock to be built-in door with two grooved keys.

**VERTICAL
SHELF**

ADJUSTMENT: Cabinet shall have two welded support brackets at back of cabinet and one on each side to give double strength for maximum loads. Adjustable shelf arrangements of 2" intervals.

SHELVES: The cabinet shall be furnished with at least four (4) shelves that are to have channel front and flanged sides which will add reserve strength to carry maximum load. Shelves to be installed by the supplier. Four (4) clips per shelf are required.

FINISH: All metal parts shall be thoroughly cleaned and treated with an iron phosphate rust inhibitor and primer prior to painting. Finish is applied by spray gun and shall be baked on enamel (tan or gray).

REQUIREMENTS: Storage cabinets must be bid assembled.

SPECIFICATIONS - Cont.

ITEM NO. 18 - CHAIR, ALL PURPOSE, WITH LEGS:

11" ± 1"

ITEM NO. 19 - CHAIR, ALL PURPOSE, WITH LEGS:

13" ± 1"

ITEM NO. 20 - CHAIR, ALL PURPOSE, WITH LEGS:

15" ± 1"

ITEM NO. 21 - CHAIR, ALL PURPOSE, WITH LEGS:

17" ± 1"

FRAME: Legs of 1 1/8" 18-gauge swaged steel tubing. Each set made of one continuous tube running from side to side of the seat, welded to two 16-gauge die-formed seat braces punched for concealed seat rivets. The one-piece shell shall be supported with a 16-gauge die-formed saddle brace, nickel silver welded to the back assembly and riveted to the lower flange of the shell to prevent excessive flexing of the back.

SEAT & BACK: A one-piece molded shell of static-free polypropylene with double contour seat and curved back. Shell shall be attached with rivets, under the seat, to the seat brackets.

EXPOSED RIVETS WILL NOT BE ACCEPTABLE.

FINISH: Chrome plated nickel.

GLIDES: Shall be nylon 1 1/4" diameter, rubber cushioned nickel plated with swivel action, with a gripper ring which secures the glide to the outside of the leg.

WARRANTY: 5-year warranty.

ITEM NO. 22 - CHAIR, ALL PURPOSE, SLED BASE:

13" ± 1"

ITEM NO. 23 - CHAIR, ALL PURPOSE, SLED BASE:

15" ± 1"

ITEM NO. 24 - CHAIR, ALL PURPOSE, SLED BASE:

17" ± 1"

Same specifications as Item No. 8, except sled base & sizes.

SPECIFICATIONS - Cont.

ITEM NO. 25 - CHAIR, FOLDING, METAL, TUBULAR STEEL:

CONSTRUCTION: Backrest of 8 1/2" deep die-formed 22-gauge steel. Seat and backrest of formed steel with fully curled safety edges.

FRAME: 7/8" O.D. 18-gauge tubular steel, with 6" frame strengthener or secured rivets on front and rear legs for maximum lateral support.

LEGS: Legs of electrically seam-welded 7/8" O.D. 20-gauge steel tubing, reinforced at pivot points with 6" frame strengtheners. Non-marring polyethylene leg caps.

LEG BRACES: Leg braces must be of 5/8" O.D. tubular steel with double rear cross braces at the back of the chair.

HINGES: Stamped steel hinges.

COLOR: Color to be selected at time of order.

ITEM NO. 26 – RACK, CHAIR:

50-chair capacity

ITEM NO. 27 – RACK, CHAIR:

84-chair capacity

CONSTRUCTION

FOR 50 CHAIR: Chair rack shall hold approximately 50 chairs. Vertical rack with overall size of 21 1/2" W x 123"L x 44 3/8"H. Frame shall be roll-formed 14-gauge steel with removable "U" shaped chair stop slides in the rail to contain the chairs. The handle and stop bracket are made from 1" diameter x 12-gauge tubing. Two (2) rigid and four (4) swivel casters bolted to the underside of the base with sixteen (16)" diameter screws. Two (2) rigid and two (2) swivel solid rubber 4" diameter casters. Each caster shall have four-bolt flange for mounting. Enamel painted finish.

CONSTRUCTION

FOR 84 CHAIR: Chair rack shall hold approximately 84 chairs, 68 1/4" x 31" x 80" (loaded). Two solid rubber and two rigid 5" swivel casters (two locking).

SPECIFICATIONS - Cont.

ITEM NO. 28 - CHAIR, COMBINATION DESK, 17 1/2":

- SEAT & BACK:** The seat and back must be a one-piece molded shell of static-free polypropylene with double contour seat and deep curved back with flanged opening in back to eliminate pressure in the vital lower back area. Back reinforced with (2) 13-gauge side braces, riveted to inside of side flanges.
- FRAME:** Self-supporting and non-tilting of 16-gauge swaged steel front leg and 18-gauge back legs. The top support tube shall be of 1 1/8", 14-gauge steel. A 3/4", 14-gauge tube shall connect the rear legs, top brace and front legs to eliminate leverage. Seat supports shall be die-formed of 16-gauge steel punched for concealed seat rivets. The one-piece shell shall be supported at the intersection of the back and seat with a saddle brace welded to the back leg assembly and riveted to the lower flanges of the shell to reinforce back.
- WRITING SURFACE:** The writing surface must be at least 18" x 24". The writing surface shall be at least 9/16" high-density particle board with a high-pressure laminate top and backer sheet. Edges are painted with black polyurethane.
- BOOK RACK:** #4 welded steel rods projection welded together then welded to frame.
- FINISH:** All metal components to be chrome finish.
- GLIDES:** Shall be 1 1/4" diameter, rubber cushioned, nickel plated with swivel.

SPECIFICATIONS - Cont.

ITEM NO. 29 - CHAIR, TABLET ARM, LEG BASE, 17 1/2":

- SEAT & BACK:** The seat and back must be molded of high impact flexible polypropylene plastic with deep sculptured compound curves for maximum support, comfort and appearance. The seat and back shall consist of a one-piece shell.
- FRAME:** The plastic must be attached to the frame for maximum strength without any rivets exposed from the front. The legs shall be at least 1 1/8", 18-gauge swaged steel tubing of wall saver design. Each set shall consist of one continuous tube, running from side to side of seat, projection welded and brazed to (2) 16-gauge die-formed seat braces, punched to receive concealed rivets. The one-piece shell shall be supported at the intersection of the back and seat with a 16-gauge die-formed saddle brace projection welded, then nickel silver brazed to the back assembly and riveted to the lower flanges of the shell to prevent excessive flexing of the back.
- The top mount tube shall be at least 1 1/4", 12-gauge carbon steel tubing with a 15" length piece, 1", 14-gauge carbon steel tubing, welded to top mount tube for an added tablet arm support. Top mount clips shall be die-formed of at least 16-gauge steel. All projection welds shall be backed up with nickel silver brazing.
- BOOK RACK:** The book rack must be formed from solid steel rods welded for maximum strength. The book box shall be welded to all four (4) legs or adequately fastened from the seat frame. The steel rods shall be spaced close together. The book box shall be ample in size and accessible from either the right or left side.
- WRITING SURFACE:** The writing surface must be at least 20" x 22" x 14". It shall be formed with high pressure melamine laminate bonded to a high density, over 4 lbs., phenolic resin core. The edges must be beveled to preserve appearance and provide protection. The writing surface shall be at least 5/8" high density particle board with high-pressure laminate top and backer sheet. Edges are painted with black polyurethane.
- FINISH:** All metal components to be chrome finish.
- GLIDES:** The unit shall be equipped with (4) nylon replaceable rubber cushioned, self-aligning glides of chrome.
- WARRANTY:** 5-year warranty.

SPECIFICATIONS - Cont.

ITEM NO. 30 - DESK, STUDENT, OPEN FRONT, WITH METAL BOOK COMPARTMENT, ADJUSTABLE PEDESTALS:

FRAME: Top portion of adjustable legs shall be 1 1/8", 18-gauge steel tubing welded to 13-gauge die-formed top supports and joined together by a 3/4", 18-gauge tube. Adjustable leg inserts are 1" chrome plated, 18-gauge tubes in pairs welded together to a 16-gauge x 3/4" x 2" oval horizontal floor base 16" wide. Vertical legs are tapped at 1" levels to receive plated phillips set screws, adjustable 22" to 29".

BOOK COMPARTMENT: Die-formed from one piece of 22-gauge steel, curled edges, embossed pencil tray, embossing strips along bottom and back for added strength, size 4"H x 22"W x 14 3/4"D with a slope from the front to a 5" depth to allow knee freedom, attached to frame by spot welding.

TOP: 18" x 24" x 9/16" high density fiber resin with a high-pressure laminate surface and backer sheet. Edges are painted with black polyurethane.

METAL FINISH: Chem-O-Pon Epoxy over iron phosphate coating with chrome plated adjustable leg inserts.

GLIDES: Glides shall be 1 1/4" diameter, rubber cushioned nickel plated with adjustable height feature and swivel action.

SPECIFICATIONS - Cont.

ITEM NO. 31 - DESK, TEACHERS', WOOD DOUBLE PEDESTAL:

60" x 30" x 30"

ITEM NO. 32 - DESK, TEACHERS', WOOD DOUBLE PEDESTAL:

66" x 34" x 30"

- MATERIALS:** Desks are to be made of the finish quality select white oak or genuine flat cut walnut veneered panels and desk slides.
- TOPS:** Desks are furnished with 1 1/4", 5-ply textured plastic tops. The tops are banded with solid lumber rim.
- LEGS:** All legs are 1 3/4" square with all outside edges rounded on 3/8" radius and fitted with brass ferrules.
- PANELS:** 3-ply panels 1/4" thick. The face veneers to be plain white oak or flat cut walnut selected to match the top veneers. All plywood is bonded with water resistant, urea-resin glue.
- DRAWERS:** Sides are all hardwood lumber, dovetailed or rabbeted on both ends with 3-ply bottoms (no masonite or composite bottoms) completely boxed in. The top drawer is grooved with removable partitions in right pedestal.
- HARDWARE:** The center knee drawer in the desk should come with a high-grade, cylinder lock which automatically controls the locking of pedestal drawers. Equipped with brass pulls streamlined in design.
- FINISH:** Desks are to be finished in white oak or walnut. Provide quality lacquer finish with rubbed top.

ITEM NO. 33 - RACK, COAT AND HAT:

- DESCRIPTION:** 4' ft. wall mounted with a "U" channel bracket. 1 1/2" x 1 1/2". Shelf tubes are to be 3/4" diameter x .035 drawn tubing. Shelf end tubes 1" sq. x .062 drawn tubing. The backship is to house 4 hooks per foot. The front hooks are to be double back-to-back 8 hooks per ft. Total capacity 48 coats. Rack is to have a satin polished aluminum finish. Each coat and hat rack must be individually packed.

SPECIFICATIONS - Cont.

ITEM NO. 34 - RISER, CHORAL, PORTABLE STANDING:

4' length, 18" depth, 3 steps high

ITEM NO. 35 - RISER, CHORAL, PORTABLE STANDING:

4' length, 18" depth, 4 steps high

ITEM NO. 36 - RISER, CHORAL, PORTABLE STANDING:

6' length, 18" depth, 3 steps high

ITEM NO. 37 - RISER, CHORAL, PORTABLE STANDING:

6' length, 18" depth, 4 steps high

ITEM NO. 38 - RISER, CHORAL, PORTABLE STANDING:

Backrails, 4'

ITEM NO. 39 - RISER, CHORAL, PORTABLE STANDING:

Backrails, 6'

Units must be 4 ft. and 6 ft. in length, with each step 18" deep.

CONSTRUCTION: Portable 3-step unit, accordion style design, folds compactly. Risers must be easily moved from room to room, as well as, up and down stairs. The units must have two 4" built-in wheels, 3" non-marring rubber casters and stair glides. The frame must be 16-gauge square tubing steel, with steps made of solid core plywood. The steps must be carpeted with one-piece 100% olefin carpet and smooth finished vinyl-clad steel edging to insure safety. Foot-pedal activated cross brace to lock leg structure automatically for easier setup. Double locking mechanism. Syncho-hinge design. All legs move into position simultaneously. The units must be shipped ready to use (no assembly required). The units must have built-in reversibility which will allow easy variation of stage arrangement. Three-year warranty. Back rails shall be metallic powder coat finish with clamp attachment. 42" height to meet OSHA. Rails can be attached and removed without the use of tools.

SPECIFICATIONS - Cont.

ITEM NO. 40 - STAND, TEACHER'S DEMONSTRATION:

HEIGHT: 38"

WORK TOP: Solid core of 3/4" particle board with a textured high-pressure laminate surface and backer sheet. Size 18" x 30". The black vinyl oval "T" edge band is spot-nailed to prevent pullout.

FRAME: Self standing of two, 1 3/4" diameter, 14-gauge steel pedestals with die-formed 14-gauge chrome plated feet. A 2 1/4" diameter die-formed chrome plated dome steel sleeve will cover all welds at intersection of feet and post. Top of pedestals are steel "U" channels attached to top with screws. Pedestals are joined together above the feet by a 1" x 2" , 14-gauge rectangular tie bar.

STORAGE

COMPARTMENT: Die-formed from one piece of 22-gauge steel, with curled edges, embossed pencil tray, plus embossing strips along bottom and back for added strength. Size 4"H x 22"W x 14 3/4"D with a slope from the front to a 5" depth. Top attached with screws.

FRONT PANEL: Hardboard faced with textured vinyl both sides, framed with aluminum "U" channel attached to legs with welded clips and screws.

METAL FINISH: Chem-O-Pon Epoxy over iron phosphate coating.

CASTERS: 2" rubber wheel carpet casters, two with locking mechanism.

SPECIFICATIONS - Cont.

ITEM NO. 41 - STOOL, TEACHERS', ADJUSTABLE HEIGHT 21" THROUGH 30":

With pad

ITEM NO. 42 - STOOL, TEACHERS', ADJUSTABLE HEIGHT 21" THROUGH 30":

Without pad

FRAME: Adjustable legs of 18-gauge, 1 1/8" carbon steel tubing, welded to a 13-gauge steel plate, in turn welded to two 16-gauge die-formed seat braces; foot rest of 3/4", 18-gauge tubing welded to outside of legs at a comfortable height. Leg inserts are chrome plated, 18-gauge swaged, tubing tapped at 1" levels to receive phillips set screws. Leg assembly to have 1/8" adjustment for uneven floors. The one-piece shell shall be supported at the intersection of the back and seat with a 16-gauge die-formed saddle brace welded to the seat assembly and riveted to the lower flanges of the shell to prevent excessive flexing of the back.

SEAT AND

BACK: One-piece molded static-free polypropylene with double contour seat and deep curved back attached to frame with concealed rivets.

METAL FINISH: Nickel chrome plating.

ITEM NO. 43 - TABLE, CRAFT:

SIZE: 60"W x 42"D x 29 1/2"H, with 1 3/4" thick maple top.

CONSTRUCTION: The base is constructed of solid maple and hardwood paneling.

SPECIFICATIONS- Cont.

ITEM NO. 44 - TABLE, FOLDING, DELUXE PEDESTAL LEGS:

30" x 72"

ITEM NO. 45 - TABLE, FOLDING, DELUXE PEDESTAL LEGS:

36" x 72"

TOP: High pressure plastic laminated to a solid piece of 3/16" hardboard, bonded to a 1/2" thick plywood framework with backing sheet bonded to the underside, stacking corners.

TABLE & LEGS: Pedestal legs, 1" diameter, 16-gauge steel, with the curved pedestal base of 1.05" diameter, 14-gauge steel.

Automatic lock mechanism with double brace, positive action, spring loaded, locking open and closed.

WARRANTY: 5-year warranty.

ITEM NO. 46 - TABLE, KIDNEY, 48" X 72":

TOP

CONSTRUCTION: Top shall not be less than 1 1/8" in thickness or the equivalent in strength of solid core fine wood particles. A plastic backing sheet shall seal the underside from moisture to prevent warpage. The top edges shall be protected with a vinyl "T-Mold" banding strip. The top shall have a textured laminated plastic permanent bond glued with waterproof glue to the solid core.

Tables 60" or larger shall have stretcher supports permanently attached to the underside of the table equal distance, lengthwise of table, 16-gauge, 1" x 1" tubular.

TABLE LEGS: Table shall have (4) legs, each consisting of steel brackets. The upper leg shall be at least 1 1/4" round, 18-gauge steel tubing. The leg insert shall be at least 1 1/8" round, 16-gauge steel tubing swaged to 5/8". All legs shall have 1 1/4" nickel chrome plated adjustable glides. All legs shall be adjustable from 21" through 29". Metal parts shall be finished in high quality enamel baked on, in infrared ovens. Inserts on adjustable legs shall be chrome.

WARRANTY: 5-year warranty.

COLOR OF TOP: Color of top shall be selected at time of order.

SPECIFICATIONS - Cont.

ITEM NOS. 47 THRU 51 – TABLE, RECTANGULAR, CHROME PEDESTAL LEGS. ALLIED OR EQUAL.

ITEM NO.: (47) 24" X 48"
(48) 30" X 48"
(49) 30" X 60"
(50) 30" X 72"
(51) 42" X 60"

TABLE TOPS: The top shall not be less than 1 ¼" in thickness or the equivalent in strength. The top shall be constructed of high-pressure laminate plastic. The top surface shall be permanently bonded with waterproof glue to a high density core of fine wood particles. The construction shall be balanced with a plastic backing sheet permanently bonded to the underside of the core sealing to prevent warpage. The top edges shall be protected with either a vinyl "T-Mold" banding strip or 1 ¼" hardwood edge banded core stock shaped strip.

TABLE TOP SUPPORTS: The table top support portion of the pedestal should be a "T" shape support for maximum table stability. The "T" crossbar shall extend not less than 10" on each side of the support column. Pedestal legs shall be joined by a 1", 16-gauge stretcher bar brazed to an upper assembly.

PEDESTAL LEGS: The pedestal legs shall be at least 16-gauge heavy steel tubing. The pedestal foot shall extend not less than 13" on either side of the support column. The foot shall be a true pedestal foot, as close to the floor as possible, to provide maximum use of the work surface by students without interference by the table legs or bracings. The foot shall be provided with a chrome scuff strip to prevent marring of the chrome. Outer tubing of adjustable leg shall be not less than 2" in diameter and the insert not less than 1 ¾" in diameter, with 16-gauge steel tubing. Adjustable pedestal legs shall have heavy duty screws for locking in place. Four (4) glides shall be included, not less than 1 ¼" nickel chrome plated.

METAL FINISH: Metal parts shall be finished in high quality enamel baked on in infrared ovens. Inserts on adjustable pedestal legs shall be chrome.

WARRANTY: 5-year warranty.

COLOR: Color of top shall be selected at time of order.

ITEM NO. 52 – TABLE, RECTANGULAR, FOLDING, 30" X 72", LIGHTWEIGHT, BLOW MOLDED:

TABLE & LEGS: Pedestal legs, 17-gauge framing system with extra stable gravity lock. 1,000 lb. weight capacity. Can withstand heat up to 212°F.

TOP: 1 ¾" thick, lightweight, weather resistant. Light gray or white in color.

WARRANTY: 5-year warranty.

SPECIFICATIONS - Cont.

ITEM NO. 53 - TABLE, ROUND, 48", FOLDING ENAMEL LEGS:

TABLE LEGS: Pedestal legs, 17-gauge framing system with extra stable gravity lock. 1,000 lb. weight capacity. Can withstand heat up to 212F.

TOP: 1 3/4" thick, lightweight, weather resistant. Light gray or white in color.

WARRANTY: 5-year warranty.

ITEM NO. 54 - TABLE, ROUND, ADJUSTABLE LEGS, 22" THROUGH 29":

48" diameter

ITEM NO. 55 - TABLE, ROUND, ADJUSTABLE LEGS, 22" THROUGH 29":

60" diameter

TOP: The top shall be a solid core of 1 1/8", 45 lb. per cubic foot particle board surfaced with a full 3 core high pressure laminated plastic, using a plastic backer sheet for balanced construction. The edge banding shall be of knife edge black vinyl plastic of not less than 5/16" thickness oval design with a smooth surface. The tongue of the banding shall be spot-nailed from the bottom to prevent band from pulling away from the edges.

ADJUSTABLE

LEGS: Legs shall be of 1 1/8", 18-gauge continuous seam welded tubing with a chrome plated adjustable insert of 18-gauge tubing. The bottom portion of the legs shall be swaged to a 5/8" diameter. The upper portion of the legs shall be permanently welded to a 13-gauge triangular plate 9 1/4" x 7" and further reinforced with a solid #4 wire "V" shaped brace permanently attached to the leg and receiving plate by welding. One size of legs provides adjustments of 22" through 29" in increments of one inch. This is accomplished by means of a set screw adjustment on each leg. Die-formed steel quick-set receiver plate, factory installed.

METAL FINISH: All metals shall be thoroughly cleaned, phosphate coated, then electrostatically sprayed with Chem-O-Pon catalyzed epoxy finish, and baked in a 400 degree oven for 10 minutes.

GLIDES: All glides shall be 1 1/4" diameter, rubber cushioned and fully nickel plated with an outside gripper ring which will positively secure the glide to the outside of the leg. Glide will have a swivel action to provide a flatness with the floor surface at all times. Umbrella type glides which attach to the inside of the leg are not acceptable.

SPECIFICATIONS - Cont.

ITEM NO. 56 - TABLE, SCIENCE:

SIZE: Size shall be 60"L x 30"H x 24"W.

TOP

CONSTRUCTION: Top must be acid resistant, and withstand damage under normal laboratory exposure. Table shall have maple framing finished in natural lacquer with 1 1/4" thick top. Apron around table shall be high density resinized core in birch laminate. Table must be equipped with a book compartment, 16 3/8" x 3 5/8" x 18 3/8".

TABLE LEGS: Table legs are to be 2 1/2" x 2 1/4" solid Maple. Each leg shall have black rubber boots to protect legs from acid spills.

The table must be at sitting height, with a wooden understructure.

ITEM NO. 57 - TABLE, TRAPEZOID, 30" X 30" X 60":

TOP

CONSTRUCTION: Top shall not be less than 1 1/8" in thickness or the equivalent in strength of solid core fine wood particles. A plastic backing sheet shall seal the underside from moisture to prevent warpage. The top edges shall be protected with a vinyl "T-Mold" banding strip. The top shall have a textured laminated plastic permanent bond glued with waterproof glue to the solid core.

Table 60" or larger shall have stretcher supports permanently attached to the underside of the table equal distance, lengthwise of table, 16-gauge, 1" x 1" tubular.

TABLE LEGS: Table shall have (4) legs, each consisting of steel brackets. The upper leg shall be at least 1 1/4" round, 18-gauge steel tubing. The leg insert shall be at least 1 1/8" round, 16-gauge steel tubing swaged to 5/8". All legs shall have 1 1/4" nickel chrome plated adjustable glides. All legs shall be adjustable from 21" through 29". Metal parts shall be finished in high quality enamel baked on, in infrared ovens. Inserts on adjustable legs shall be chrome.

WARRANTY: 5-year warranty.

COLOR OF TOP: Color of top shall be selected at time of order.

VENDORS' ADDRESSES, PHONE NUMBERS & QUOTED TERMS

Drennan Equipment
4611 ½ Bittersweet Rd.
Louisville, KY 40218
Phone No.: 502-584-7772
Terms: Net
Vendor No.: 63430

Jeff Robenson - Representative

Hurst Office Suppliers
333 E. Short St.
Lexington, KY 40507-1904
Phone No.: 800-926-4423
Terms: Net
Vendor No.: 101192

Scott Radcliffe – Representative
502-377-4527

School Specialty, Inc. **REF # 2011018118 ON PO**
P. O. Box 8101
Mansfield, OH 4903-8101
Phone No.: 800-305-0174
Terms: Net
Vendor No.: 136087

Jonathan Gossom – Representative
502-235-4961

Tom Sexton & Associates
65 Cummings Dr.
Walton, KY 41094
Phone No.: 800-404-5032
Terms: Net
Vendor No.: 136460

Mark Edwards - Representative